

**DNP**  
Photo Imaging

[www.dnpphoto.com](http://www.dnpphoto.com)  
[www.dnpimagingcomm.com](http://www.dnpimagingcomm.com)




Memories deserve prints!




## Why DNP Imagingcomm America Corporation?

To the photographers who straddle the line between entrepreneurship and craftsmanship and rise to the challenge to create amazing work — efficiently, reliably, and profitably — know that DNP is there with you!

Our printers and media can power your craft and business but we also appreciate that with this power comes responsibility. If we're slow, you become slow. If our prints are not right, your product suffers. If we fail, your business falls flat. Our mission is to give you the power to do amazing because when we perform, you excel.



We give you the **POWER**  
to do **AMAZING!**



Memories deserve prints!

# dye-sublimation media

-  NEW! DS620A Watermark
-  Multiple Print Sizes
-  Extensive Printer Platforms
-  High Quality
-  Environmentally Conscious



# dye-sublimation media



Use Genuine DNP ribbons and paper for guaranteed printer reliability and the best, longest-lasting image quality.

## Watermark

The new DS620A media series offers a Genuine DNP watermark on the back and glossier print surface on the front.

## Multiple Print Sizes

Multiple media sizes available; get matte or glossy prints from the same media.

## Extensive Printer Platforms

DNP is the leading dye-sublimation media manufacturer for one of the most extensive printer lineups in the marketplace.

## High Quality

Genuine DNP media is manufactured to specifications that optimize performance of your DNP printer. Look for the authentic watermark.

| PRINTER | ITEM        | DESCRIPTION                                    | SPECIFICATION   |
|---------|-------------|--|---|
| DS620A  | DS620A      | DS Series™ Professional Photo Printer          | Prints 2x6", 4x6", 5x7", 6x6" and 6x8" photos         |
|         | DS620 4x6   | DS620 Printer Media - 4 x 6"                   | 400 prints / roll (800 total prints); 2 rolls / case  |
|         | DS620 5x7   | DS620 Printer Media - 5 x 7"                   | 230 prints / roll (460 total prints); 2 rolls / case  |
|         | DS620 6x8   | DS620 Printer Media - 6 x 8"                   | 200 prints / roll (400 total prints); 2 rolls / case  |
| PRINTER | ITEM        | DESCRIPTION                                    | SPECIFICATION   |
| RX1     | RX1         | RX1™ Compact Photo Printer                     | Prints 2x6", 4x6", 5x7" and 6x8" photos               |
|         | RX1 4x6     | RX1 Printer Media - 4 x 6"                     | 700 prints / roll (1400 total prints); 2 rolls / case |
|         | RX1 6x8     | RX1 Printer Media - 6 x 8"                     | 350 prints / roll (700 total prints); 2 rolls / case  |
| PRINTER | ITEM        | DESCRIPTION                                    | SPECIFICATION   |
| DS40    | DS40        | DS Series™ Professional Photo Printer          | Prints 4x6", 5x7", and 6x8" photos                    |
|         | DS40 4x6    | DS40 Printer Media - 4 x 6"                    | 400 prints / roll (800 total prints); 2 rolls / case  |
|         | DS40 5x7    | DS40 Printer Media - 5 x 7"                    | 230 prints / roll (460 total prints); 2 rolls / case  |
|         | DS40 6x8    | DS40 Printer Media - 6 x 8"                    | 200 prints / roll (400 total prints); 2 rolls / case  |
|         | DS40 4x6PM  | DS40 Perforated Printer Media - 4 x 6"         | 400 prints / roll (800 total prints); 2 rolls / case  |
| PRINTER | ITEM        | DESCRIPTION                                    | SPECIFICATION   |
| DS80    | DS80        | DS Series™ Professional Portrait Photo Printer | Prints 8x10" and 8x12" photos                         |
|         | DS80 8x10   | DS80 Printer Media - 8 x 10"                   | 130 prints / roll (260 total prints); 2 rolls / case  |
|         | DS80 8x12   | DS80 Printer Media - 8 x 12"                   | 110 prints / roll (220 total prints); 2 rolls / case  |
| PRINTER | ITEM        | DESCRIPTION                                    | SPECIFICATION   |
| DS80DX  | DS80DX      | DS Series™ Professional Duplex Photo Printer   | Prints 4x8", 5x8", 6x8", 8x8", 8x10" and 8x12" photos |
|         | DS80D 8x10C | DS80DX Duplex Printer Media - 8 x 10"          | 2 Packs of 65-Sheets (130 double-sided prints)        |
|         | DS80D 8x12  | DS80DX Duplex Printer Media - 8 x 12"          | 2 Packs of 55-Sheets (110 double-sided prints)        |
| PRINTER | ITEM        | DESCRIPTION                                    | SPECIFICATION   |
| ID400   | ID400W      | Passport Printer with 2 Wireless LAN SD Cards  | Prints 4"x6" Passport and ID photos                   |
|         | ID400BT     | Passport Printer with Bluetooth Dongle         | Prints 4"x6" Passport and ID photos                   |
|         | ID400DC3    | Wireless Passport System w/Sony W800           | Prints 4"x6" Passport and ID photos                   |
|         | 10UPC-X46   | Passport Media - 4 x 6"                        | 10 Packs of 25-Sheets (250 total prints)              |



DS620A

RX1

DS40

DS80

DS80DX





ID400

**3 YEAR**  
ADVANCE EXCHANGE  
EXTENDED WARRANTY



Worry-free Performance for a Profitable Photo Business!

# DS620A™

-  3-year AE Included!
-  Fast Printing
-  Multiple Formats
-  High Quality



# DS620A™



DNP's new flagship printer offers optimum performance as standard.

## 3-year AE Included!

The DS620A features an enhanced Thermal Print Head and Print Engine System for years of trusty performance. Here's the proof! DNP includes an optional 3-year Advance Exchange (AE) Extended Warranty—an end user support program\*.

## Fast Printing

With up to 400 prints per hour, the DS620A is fast with prints in 8.3 seconds! This makes DNP's new flagship model one of the fastest professional photo printers.

## Multiple Formats

Providing flexibility on photo formats, the DS620A offers anything from a 2"x6" photo booth fun strip up to gorgeous 6"x8" enlargements. Load in 6"x8" media for the greatest flexibility in print sizes.

## High Quality

The DS620A offers a watermark on the back and high gloss and crisp colors on the front of your photos. The same media can be utilized for glossy or matte output based on your needs.



## Specifications

| Media Size | Print Size |                         |               |                         |
|------------|------------|-------------------------|---------------|-------------------------|
| 4"x6"      | 4"x6"      | 2"x6" 2up (photo strip) |               |                         |
| 5"x7"      | 5"x7"      | 5"x5"                   | (3.5"x5") x 2 |                         |
| 6"x8"      | 6"x8"      | 6"x6"                   | (4"x6") x 2   | 2"x6" 4up (photo strip) |

|  |   |            |
|--|---|------------|
| Print method                             | Dye-sublimation thermal transfer method   |            |
| Print mode                               | High-speed mode & High-quality mode   |            |
| Resolution                               | 300x300dpi  |            |
| Print number                             | 4"x6" 400 sheets  | 8.3 sec.** |
| Print speed (glossy)                     | 5"x7" 230 sheets  | 14.1 sec.  |
|  | 6"x8" 200 sheets  | 15.7sec.   |
| Finishing options                        | Glossy, Matte   |            |
| Ribbon finish                            | YMC + overcoat  |            |
| Interface                                | USB 2.0   |            |
| Driver software                          | Windows® 7 and 8  |            |
| External dimensions                      | 10.8"Wx14.4"Dx6.7"H   |            |
| Weight (excluding accessories and media) | Approx. 26.4 lbs  |            |
| Power supply                             | 120VAC 50/60Hz, 220-240VAC, 50/60Hz,  |            |
| Power consumption (when printing)        | 100V or 240V, 50/60Hz 3.9A /1.6A<br>(Ultra Low Power Standby mode, uses less than <0.5 W) |            |
| Accessories                              | Power cord, 4"x6" print catcher, 5"x7" spacer, driver disk, setup guide                   |            |
| Media                                    | DS620 4x6, DS620 5x7, DS620 6x8   |            |

\*Registration required, limitations apply.  
\*\* When two 4"x6" sizes are printed using 6"x8" media.  
Windows is a registered trademark of Microsoft Corporation.





THE most versatile Dye-sublimation Duplex printer on the market.

## DS80DX™

-  High Quality
-  Flexible
-  Profitable
-  Easy-to-Use



# DS80DX™



## The DS80DX is bundled with our DNP-created mini photobook™ software.

### High Quality

Print premium professional quality photos, photo calendars, and photobooks in stunning matte or glossy finish. A powerful printer control engine designed to maximize image quality and gives your customers the vibrant and robust color spectrum they demand.

### Flexible

Print premium quality simplex or duplex photos. The printer is optimized to give your customers the vibrant colors they demand. Mini photobook software is included to get started right out of the box.

### Profitable

Increase your profitability utilizing the single or duplex capabilities of the DS80DX. DNP's award-winning design delivers reliability and high performance proficiency assuring you a maximum return on your investment.

### Easy-to-Use

The DS80DX has an ergonomic design for easy-access front loading of media. Once the paper is loaded, you're ready to go!




#### BE YOUR OWN BOSS:

With DNP's duplex printer, you decide which photo products to offer. Crisp colors in customized greeting cards, calendars and even photobooks. Produce on-site, premium quality photo products in a variety of formats. The DS80DX duplex printer also offers single-sided photos. It does both—single and double-sided photos.

DNP's unique 2-piece design offers service flexibility.



This mighty duo allows you to create mini photobooks on-site in minutes!



DNP's software is included to help you create unique mini photobooks: Instagram®-like square 4"x4", 4"x8", and 6"x8" – and an impressive "Super Panoramic" – a 4"x16" image spread across two 4"x8" pages. The program will also automatically lay out the book based on your photo selections.

These size formats maximize the printer's capability to use a single double-sided 8"x12" sheet to create a complete mini photobook in a matter of minutes. Destination or landmark photos can be pre-loaded so you can personalize the book with quick on-demand photos.

# mini photobook™

- Simple software designed to fully integrate with DNP's Hot Folder Print.
- Easily connect images from camera's media card, USB jump drive, or other storage mediums.
- Quickly upload images for desired mini photobook content—whether images are pre-loaded or live shots.
- Next, choose the desired output size of 4"x4", 4"x8", 6"x8" or Super Panoramic 4"x16", and software will auto populate the pages.
- Easily customize, crop, reorder pages, and edit to create the desired layout.



## Specifications

|                     |   |
|---------------------|---|
| Print size          | 4"x4" mini photobook , 4"x8" mini photobook,<br>4"x16" super panoramic spread photobook<br>6"x8" mini photobook |
| Operating System    | Windows® 7 (32 or 64 bit) and Windows® 8.1 (32 or 64 bit)   |
| CPU                 | Dual Core   |
| Memory              | 4GB   |
| Available HDD Space | 20GB  |



## DS80DX™


### Specifications

|  |   |
|--|---|
| Print method                             | Dye-sublimation thermal transfer method                             |
| Print mode                               | High-speed mode   |
| Resolution                               | 300x300dpi 300x600dpi   |
| Print size (duplex)                      | 8"x8", 8"x10", 8"x12"<br>Photobook: 8"x10.75"<br>Calendar: 8"x10.5" |
| Print size (simplex)                     | 4"x8", 5"x8", 6"x8",<br>8"x8", 8"x10"                               |
| Print number                             | 8"x12"<br>Simplex: 110 sheets<br>Duplex: 55 sheets                  |
| Print speed (Duplex)                     | 135sec.   |
| Print speed (Simplex)                    | 35sec.  |
| Ribbon finish                            | YMC + overcoat  |
| Interface                                | USB 2.0 (Maximum 480Mbps)   |
| Buffer size                              | For two images  |
| Operating system                         | Windows® 7 and 8  |
| External dimension                       | 12.7"Wx19.7"Dx16.4"H  |
| Weight (Excluding accessories and media) | Approx. 64 lbs  |
| Power supply                             | AC 100V ~ 240V 50/60 HZ   |
| Power consumption (when printing)        | Max 100v-124v / 400W  |
| Accessories                              | Power supply cord   |
| Software requirements                    | Order Creation Software<br>Windows Driver<br>Mac Driver (pending)   |



\*Mini photobook is a very lightweight application and will load and run on the Windows minimum hardware configurations. However, DNP recognizes this configuration will lead to less than optimum performance for your system and recommends following industry leading guidelines for Windows 7 and Windows 8 as outlined in our Recommended Hardware.

Instagram is a registered trademark of Instagram, Inc.; and Windows is a registered trademark of Microsoft Corporation.



THE printer that turns photo opportunities into sales opportunities!

# DS40™

-  Reliable
-  Fast
-  6x8-Inch Format
-  High-Quality Matte Finish



From roller coaster to cruise ships, from little league to gala affairs, the DS40 offers high satisfaction and high profitability.

## Reliable

Many thousands of printers are performing reliably in the field for a number of years.

## Fast

The DS40 delivers 4"x6" photos in just 8 seconds.

## 6x8-Inch Format

Giving flexibility on photo formats, the DS40 offers anything from 4"x6" to 6"x8".

## Matte Finish

On the same photo paper, the DS40 produces media in glossy or matte according to your requirements.



## Specifications

|  |   |                 |                      |
|--|---|-----------------|----------------------|
| Print method                             | Dye-sublimation thermal transfer method             |                 |                      |
| Print mode                               |   | High-speed mode | High-resolution mode |
| Resolution                               |   | 300x300dpi      | 300x600dpi           |
| Print size                               | 2"x6" 2 up*   |                 |                      |
|  | 4"x6"   |                 |                      |
|  | 5"x7"   |                 |                      |
|  | 6"x8"   |                 |                      |
| Print number                             | 4"x6"   | 400 sheets      |                      |
|  | 5"x7"   | 200 sheets      |                      |
|  | 6"x8"   | 200 sheets      |                      |
| Print speed                              | 4"x6"   | 8.9sec.         | 11.7sec.             |
|  | 5"x7"   | 12.8sec.        | 17.4sec.             |
|  | 6"x8"   | 13.9sec.        | 19.3sec.             |
| Finishing options                        | Glossy, matte                                       |                 |                      |
| Ribbon finish                            | YMC + overcoat                                      |                 |                      |
| Interface                                | USB 2.0 (Maximum 480Mbps)                           |                 |                      |
| Driver software                          | Windows® 2000 / XP / VISTA / Windows 7 & 8 · MAC OS |                 |                      |
| External dimensions                      | 12.7"Wx14.4"Dx6.7"H                                 |                 |                      |
| Weight (Excluding accessories and media) | Approx. 30 lbs                                      |                 |                      |
| Power supply                             | AC100V ~ 240V 50/60 HZ                              |                 |                      |
| Power consumption (when printing)        | 100V 3.96A 240V 1.69A                               |                 |                      |
| Accessories                              | Power supply cord                                   |                 |                      |
| Media                                    | DS404x6, DS405x7A, DS406x8                          |                 |                      |

## Dimensions



\*When two 2x6" size is printed using 4x6" media.



THE portrait printer that is good to go!

# DS80™

-  Profitable
-  Reliable
-  Transportable
-  High Quality



# DS80™



## From studio shots to off-site events, the compact & lightweight DS80 can be transported from studio to event and back again!

### Profitable

A good investment, this photo printer comes with competitive media pricing and delivers print formats that are not so price sensitive.

### Reliable

The DS80 runs reliably for many years. The printer is equipped with an exclusive dust-protection system that allows for tough assignments.

### Transportable

As an ideal portrait and event printer, the DS80 is compact and lightweight so it becomes your companion for assignments outside your studio.

### High Quality

Due to its advanced heat control and print head, the DS80 produces 4"x8" to 8"x12" photos with smooth gradation.



### Specifications

|  |  |                                      |
|--|--|--------------------------------------|
| Print method                             | Dye-sublimation thermal transfer method              |                                      |
| Print mode                               | High-speed mode                                      | High-resolution mode                 |
| Resolution                               | 300x300dpi   | 300x600dpi                           |
| Print size                               | 8"x4"<br>8"x5"<br>8"x6"<br>8"x8"<br>8"x10"<br>8"x12" |                                      |
| Print number                             | 8"x10" 130   | 8"x12" 110                           |
| Print speed                              | 8"x10" 30.2sec.                                      | 40.2sec.<br>8"x12" 35.2sec. 46.2sec. |
| Finishing options                        | Glossy, matte  |                                      |
| Ribbon finish                            | YMC + overcoat                                       |                                      |
| Interface                                | USB 2.0 (Maximum 480Mbps)                            |                                      |
| Driver software                          | Windows® 2000 / XP / VISTA / Windows 7 & 8 · MAC OS  |                                      |
| External dimensions                      | 12.7"Wx14.4"Dx6.7"H                                  |                                      |
| Weight (Excluding accessories and media) | Approx. 30 lbs                                       |                                      |
| Power supply                             | AC100V ~ 240V 50/60 HZ                               |                                      |
| Power consumption (when printing)        | 100V 3.96A 240V 1.69A                                |                                      |
| Accessories                              | Power supply cord                                    |                                      |
| Media                                    | DS808x10, DS808x12                                   |                                      |

### Dimensions





THE printer that expands your business with high quality and affordability!



# RX1™

-  Low Investment
-  Economic Media
-  High Print Capacity
-  Compact for Photo Booths



# RX1™



## From photo booths to on-the-spot, from great fun to friendly on your bottom line. The RX1 keeps customers smiling!

### Low Investment

Energy saving and cost-effective, the RX1 makes no sacrifice on functionality or quality. It delivers prints in 4"x6", 5"x7"\*\*, 6"x8", on matte or glossy surface, in a resolution ranging from 300x300 to 300x600dpi.

### Economic Media

The RX1 offers a low-cost approach with its economic photo consumables, while ensuring a standard printing quality.

### High Print Capacity

With a capacity of 700 4"x6" prints, the RX1 lets you run the printer in long cycles before changing media.

### Compact

New compact design allows the RX1 to fit easily into photo booths, an existing kiosk cabinet, or smaller retail space.



### Specifications

|  |   |                      |
|--|---|----------------------|
| Print method                             | Dye-sublimation thermal transfer                                    |                      |
| Print mode                               | High-speed mode   | High-resolution mode |
| Resolution                               | 300x300dpi  | 300x600dpi           |
| Picture size                             | 2"x6"*  |                      |
|  | 4"x6"   |                      |
|  | 5"x7"***  |                      |
|  | 6"x8"   |                      |
| Print number                             | 4"x6"   | 700 sheets           |
|  | 5"x7"*  | 350 sheets           |
|  | 6"x8"   | 350 sheets           |
| Print speed                              | 2"x6"   | 17 sec               |
|  | 4"x6"   | 15 sec               |
|  | 5"x7"*  | 24 sec               |
|  | 6"x8"   | 27 sec               |
| Finishing options                        | Glossy, matte   |                      |
| Ribbon finish                            | YMC & overcoat  |                      |
| Interface                                | USB 2.0 (max. 480Mbps) Type B                                       |                      |
| Driver software                          | Windows® XP / Windows Vista®(32/64 bit) / Windows®7 & 8 (32/64 bit) |                      |
| External dimensions                      | 12.6"Wx13.8"Dx11"H  |                      |
| Weight (Excluding accessories and media) | Approx. 30 lbs.   |                      |
| Power supply                             | AC100V ~ 240V 50/60Hz   |                      |
| Power consumption                        | 100V 2.9A 240V 1.2A   |                      |
| Accessories                              | Power supply cord   |                      |
| Media                                    | RX14x6, RX16x8  |                      |

\*Two photo strips printed on 4"x6"  
 \*\*Printed on 6"x8" with 1/2" white border



### Dimensions







Turn digital files into the sharing power of prints!

# Mobile PartyPrint<sup>®</sup>



Easy



Fun



Archive



Versatile



# Mobile PartyPrint®



From Sweet 16 to engagement parties, from weddings to family reunions MPP offers guests to wirelessly print their photos.



## Easy

Mobile Party Print allows event guests to easily transfer photos via Wi-Fi for instant printing and sharing. Download the free app, connect to the local Wi-Fi and print. It's that simple.



## Fun

Mobile Party Print is the modern version of free film cameras on the table. Event guests use their mobile devices to capture memorable "candid" shots.



## Archive


Mobile Party Print archives all of the images that it prints. Event hosts can receive copies of the digital files.



## Versatile

Mobile Party Print can be customized. Create a custom start page that every guest will see each time they run the mobile app. Mobile Party Print can also add a graphical border to each print.

Mobile Party Print makes a great rental solution for parties, wedding receptions, or other hospitality events. From click to print in less than 11 seconds.



### MPP v1.5 Enhancements:

- Easier set up for first time users
- Expanded help files in the mobile app
- Supports Windows 7 and 8
- Create custom messaging for special events
- Accessible using mobile devices iOS 5 or greater, and Android 2, 3, and 4



## Specifications:

|                            |                                      |
|----------------------------|--------------------------------------|
| PC                         | Windows 7 and 8 (32 or 64 bit)       |
|                            | 2 GB Ram or greater                  |
|                            | 1024x768 video resolution or greater |
|                            | 20 GB of free disk space             |
| Mobile device              | iOS v5 or greater                    |
|                            | Android v2, 3, and 4                 |
| Wi-Fi                      | 802.11 b/g/n                         |
| Printers (sold separately) | DS620A                               |
|                            | DS40                                 |
|                            | RX1                                  |
|                            | DS80                                 |
| Print size                 | DS620A 4"x6", 5"x7", 6"x8"           |
|                            | DS40 4"x6", 5"x7", 6"x8"             |
|                            | RX1 4"x6", 6"x8"                     |
|                            | DS80 8"x10", 8"x12"                  |

You can download the free application, Mobile Party Print, from Apple's App Store or from Google Play directly from your phone or using these QR codes\*.



for itunes



for android

\*REQUIRES MOBILE APPS FROM YOUR REGION'S APP STORES. Mobile Party Print requires iOS or Android apps that are downloadable from the Apple or Google online app stores, respectively. These mobile apps are not available in all countries; please check with your Authorized DNP Reseller for availability in your region OR intended country of operation. At this time, these mobile apps are not available in Latin America or Canada.


## Support Matters

**Focused on You.** Whether an enterprise of many or a business of one, professionals need a support partner that they can count on. DNP has spent years refining a range of options and building a business on customer satisfaction.

**Flexible to Fit Your Needs.** Every customer has unique support requirements. To deliver on our commitment to provide the maximum return on your investment dollars, we provide several support options to meet your specific need. Whether you're looking for standard contact information, live support, downloads, or how to return product – we are here to help!

**Our Commitment.** DNP's commitment to support doesn't stop here. DNP's team of support professionals is here to help you get the most out of your DNP products and to support you whenever you need it. Bilingual help or even a certified technicians to help resolve an issue remotely is here at your disposal. With DNP, you are never on your own.

Only a call away at 1-800-814-4672 or via quick email at [sales\\_marketing@dnp.imgcomm.com](mailto:sales_marketing@dnp.imgcomm.com).



For more information on DNP's products and services,  
please visit our website at:  
[www.dnpimagingcomm.com](http://www.dnpimagingcomm.com)  
[www.dnpphoto.com](http://www.dnpphoto.com)

